




Pumps and Filters for Food and Beverage Applications

Made in Italy




Catalogo 50/60 Hz

BM: BRONZE PUMPS



Dimensions

Pump	D(mm)	A(mm)	B(mm)	H(mm)	Kg
BM 20	20	230	120	190	5
BM 25	25	230	120	190	6
BM 30	30	255	160	190	8
BM 35	35	255	160	190	8
BM 40	40	320	150	210	11



Specifications


Pump Material: Bronze

Bronze Radial Impeller

Plug: Shucko 16A


Food and Beverage Applications

Operating Curves



BM Technical Data - 50/60 Hz

Pumps	Hp	Kw	Hmax(m)	L/h	Rpm
BM 20	0,5	0,37	25	1700	2850
BM 25	0,8	0,6	25	2500	2850
BM 30	1	0,75	20	4500	2800
BM 35	1	0,75	20	4500	2800
BM 40	1	0,75	15	5100	1450

FILTER KIT: PUMPS and FILTER PADS

Dimensions

Pump	A(mm)	B(mm)	H(mm)	Wire(m)	Kg
FILTER KIT 6	400	270	280	1,5	15
FILTER KIT 12	430	270	280	1,5	16
FILTER KIT 18	450	270	280	1,5	17

BZ Technical Data - 50/60 Hz

Pumps	Hp	Kw	Hmax(m)	L/h	Rpm
FILTER KIT 6	0,5	0,37	25	1700	2850
FILTER KIT 12	0,5	0,37	25	2500	2850
FILTER KIT 18	0,5	0,37	20	4500	2800

Specifications

Food and Beverage Applications

Kit made of Pump + Filter Pads

Number of Filter Pads: 6, 8, 12

Plug: Shucko 16A



Noozle	
Model	D(mm)
Manual Noozle 20mm	24,5
Manual Noozle 25mm	24,5
Food Stuff Noozle 20mm	24,5
Food Stuff Noozle 25mm	25,4
Manual Aluminium Noozle 20mm	25
Manual Aluminium Noozle 25mm	25
Automatic Noozle 3/4" for Gas - 60L	24,5
Automatic Noozle 1" for Gas - 110L	30



Food Pipe				
Model	Inner Diameter (mm)	Working Pressure (kg/cm2)	Length (m)	Kg
Food Pipe 20	20	5	30	21
Food Pipe 25	25	5	30	30



Diesel Pipe				
Model	Inner Diameter (mm)	Working Pressure (kg/cm2)	Length (m)	Kg
Diesel Pipe 20	20	5	50	19
Diesel Pipe 25	25	5	50	27

WINE COUNTER



Specifications

Specifically designed for Wine

Q = 20 - 120 L/min

Pmax = 0.30 MPa

DIESEL COUNTER



Specifications

Specifically designed for Diesel

Q = 20 - 120 L/min

Pmax = 0.30 MPa